

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	713/166.ccls. and ((privileged and non-privileged) near5 mode) and ((control\$5 or limit\$5) near7 (access\$5 near3 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 12:06
S2	383	713/166.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:05
S3	20	S2 and (enabl\$5 near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:12
S4	11	S2 and (enabl\$5 near5 mode) and flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:14
S5	1	S2 and (enabl\$5 near5 mode) and flag and (initializ\$5 near5 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:14
S6	1	713/166.ccls. and ((privileged and non-privileged) near5 mode) and ((control\$5 or limit\$5) near7 (access\$5 near3 memory)) and (device near5 initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:34
S7	1	713/166.ccls. and (((privileged and non-privileged) or (protected and normal)) near5 mode) and ((control\$5 or limit\$5) near7 (access\$5 near3 memory)) and (device near5 initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:35
S8	73	(((privileged and non-privileged) or (protected and normal)) near5 mode) and ((control\$5 or limit\$5) near7 (access\$5 near3 memory)) and (device near5 initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 16:19
S9	72	S8 not S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:36

## EAST Search History

S10	52	S9 and flag and (enabl\$5 near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:37
S11	50	S9 and (set\$5 near5 flag) and (enabl\$5 near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:38
S12	1	S9 and (set\$5 near5 flag) and (enabl\$5 near5 (both near4 mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:40
S13	1	S9 and ((set\$5 near5 flag) with ((privileged or protected) near5 (operation or instruction)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:41
S14	10	(S9 and (enabl\$5 with ((privileged or protected) near5 (operation or instruction)))) not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:50
S15	145	((enabl\$5 or set\$5) near5 (bit or flag)) with ((privileged or protected) near5 (operation or instruction))) not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:53
S16	277	((enabl\$5 or set\$5) near5 (bit or flag)) with ((privileged or protected) near5 (operation or instruction or mode))) not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:53
S17	7	S16 and (wireless near5 device) and MMU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 16:18
S18	2	"6175916".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 16:13
S19	2	"5515538".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 16:13

## EAST Search History

S20	2	"20020138727"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 16:19
S21	42	((privileged and non-privileged) or (protected and normal)) near5 mode) and ((control\$5 or limit\$5) near7 (access\$5 near3 memory)) and (device near5 initializ\$5) and "MMU " and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 16:22
S22	40	S21 and ((set\$5 or enabl\$5) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 07:48
S23	225	(initialization same (determin\$5 near5 (operation near5 mode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 07:58
S24	0	S23 and (enabl\$5 near5 (privileged near4 mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 07:50
S25	3	S23 and ((set\$5 or enabl\$5) with ((secure or protected or privileged) near4 mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 07:57
S26	13755	((set\$5 or enabl\$5) with (operati\$5 near4 mode)) with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 07:58
S27	8798	((set\$5 or enabl\$5) near5 (operati\$5 near4 mode)) with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:32
S28	498	((power-on or initialization or initializ\$5) same (determin\$5 near5 (operation near5 mode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 07:59

## EAST Search History

S29	43	S28 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:04
S30	1	S29 and ((privileged or secure or protected) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:03
S31	42	S29 not S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:04
S32	2	S31 and ((test\$5 or check\$5) near5 flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:06
S33	78	S28 and ((test\$5 or check\$5) near5 flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:07
S34	0	S33 and " MMU "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:07
S35	70	S27 AND MMU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:08
S36	58	S27 AND (MMU and wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:10
S37	12	S35 not S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:10
S38	13755	((set\$5 or enabl\$5) with (operati\$5 near4 mode)) with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:32

## EAST Search History

S39	664	S38 and (initializ\$5 near\$5 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:29
S40	7	((application or program) with (privileged near\$5 mode)) same (unlimited or (without near\$5 limit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:34
S41	592	((application or program) with mode) same (unlimited or (without near\$5 limit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:34
S42	585	S41 not S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:35
S43	129	S42 and ((wireless near\$5 device) or pda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:37
S44	35	S43 and (MMUs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:36
S45	111	S42 and (flag or MMU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:38
S46	35	S42 and (flag and MMU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:46
S47	0	S46 not S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:38
S48	40	S42 and (flag and (initializ\$5 near\$5 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:13

## EAST Search History

S49	141	(cdma) and (flag and (initializ\$5 near5 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:13
S50	141	S49 not S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:13
S51	0	S50 and ((enabl\$5 or configur\$5 or set\$5) with (both near5 modes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:22
S52	56	S50 and ((dual or both) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:26
S53	56	S50 and ((dual or both) near5 mode) and cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:29
S54	56	S50 and ((dual or both) near5 mode) and cdma and flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:30
S55	2	"20050132186"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:45
S56	2	"6,268,789".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 14:13
S57	975	((enabl\$5 or set\$5 or config\$5) near7 flag) and (operat\$5 near5 mode) and ((secure or protected or non-privileged) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 14:17
S58	358	S57 and ((both or dual) near6 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 14:18

## EAST Search History

S59	187	S57 and (((enabl\$5 or configur\$5 or set\$5 or select\$5) with ((both or dual) near6 mode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 14:42
S60	165	S59 and ((initializ\$5 or boot\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 14:20
S61	165	S60 not S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 14:20
S62	36	S61 and ((wireless near3 device) or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 14:21
S63	8	(713/166.ccls.) and (((enabl\$5 or configur\$5 or set\$5 or select\$5) with ((both or dual) near6 mode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 15:59
S64	1	"6282657".PN.	USPAT; USOCR	OR	ON	2006/12/18 15:27
S65	30	microsoft.as. and england.in.	USPAT; USOCR	OR	ON	2006/12/18 15:28
S66	76	("726"/\$.ccls.) and (((enabl\$5 or configur\$5 or set\$5 or select\$5) with ((both or dual) near6 mode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 16:01
S67	39	("726"/\$.ccls.) and (((enabl\$5 or configur\$5 or set\$5 or select\$5) with ((both or dual) near6 mode))) and (initializ\$5 or boot\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 16:02
S68	349	(only exclusively) with (operat\$5 near8 ((privileged secur\$4) near3 mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:27
S69	26	((only exclusively) with (operat\$5 near8 ((privileged secur\$4) near3 mode)) same (boot initializ\$5 start-up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:42

## EAST Search History

S70	4	((only exclusively) with (operat\$5 near8 ((privileged secur\$4) near3 mode)) same (device with (boot initializ\$5 start-up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:49
S71	0	S70 not S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:43
S72	1	((only exclusively) with ((initiat\$5 start\$5) near8 ((privileged secur\$4) near3 mode)) same (device with (boot initializ\$5 start-up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 16:58
S73	2	"20030217281"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 17:00
S74	2	"20030088783"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 17:00
S75	5	(initializ\$5 near6 device) with ((isolated secur\$3) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 12:10
S76	198	(initializ\$5 near3device) with ((isolated secur\$3) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 12:10
S77	4	(initializ\$5 near3 device) with ((isolated secur\$3) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 12:12
S78	0	((initializ\$5 near3 device) with (single near3 mode)) and ((isolated secur\$3) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 12:13
S79	0	((initializ\$5 near3 device) with ((single-mode) (single adj2 mode))) and ((isolated secur\$3) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 12:14



## EAST Search History

S80	0	((initializ\$5 boot) near3 device) with ((single-mode) (single adj2 mode))) and ((isolated secur\$3) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 12:14
S81	13	((initializ\$5 boot) with ((single-mode) (single adj2 mode))) and ((isolated secur\$3) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 12:18
S82	30	((initializ\$5 boot start\$5) with ((single-mode) (single adj2 mode))) and ((isolated secur\$3) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 12:31
S83	17	S82 not S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 12:19
S84	734	(initializ\$5 boot start\$5) with ((isolated secur\$3) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 12:31
S85	71	S84 and ((test\$5 check\$5) with flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 12:39
S86	4	S84 and (((test\$5 check\$5) with flag) same (enabl\$5 near5 mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 12:35
S87	12	S84 and (((test\$5 check\$5) with flag) with (initializ\$5 boot start))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 12:39
S88	12	S87 not S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 14:27
S89	3331	((select\$5 set\$5) with ((isolated privileged secur\$4) near5 mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 14:28

## EAST Search History

S90	3867	((select\$5 set\$5 enabl\$5) with ((isolated privileged secur\$4) near5 mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 14:31
S91	386	S90 with only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 14:29
S92	102	S91 and ((set\$5 enabl\$5) near7 flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 14:30
S93	386	only with ((select\$5 set\$5 enabl\$5) with ((isolated privileged secur\$4) near5 mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 14:31
S94	37	only with (((select\$5 set\$5 enabl\$5) with ((isolated privileged secur\$4) near5 mode)) with (initializ\$5 boot\$5 start\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 15:20
S95	74	((initializ\$5 boot\$5 start\$5 set\$5) near6 ((kernel secure privileged) near3 mode)) with flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:42
S96	37	S95 and (MMU "memory management unit")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 15:59
S97	26	S96 and (only with (execut\$5 near6 ((secure kernel privileged) near3 mode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 15:53
S98	1	"20030140205".PN.	US-PGPUB	OR	ON	2007/09/24 15:58
S99	1	"20050097345"	US-PGPUB	OR	ON	2007/09/24 15:58
S100	78	((initializ\$5 boot\$5 start\$5 set\$5 enabl\$5) near6 ((kernel secure privileged) near3 mode)) with flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 15:58

## EAST Search History

S10 1	41	S100 and (MMU "memory management unit") and (memory near4 access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:00
S10 2	38	S100 and (control\$5 with (memory near4 access\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:01
S10 3	12	S102 not S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:01
S10 4	254	((initializ\$5 boot\$5 start\$5 set\$5) near4 (device processor machine)) with ((kernel secure privileged) near3 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:43
S10 5	40	((initializ\$5 boot\$5 start\$5 set\$5) near4 (device processor machine)) with ((merely only specifically) near6 ((kernel secure privileged) near3 mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 17:06
S10 6	2	S105 and 713/164,166.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 17:08
S10 7	0	S105 and 711\163,152,154.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 17:09
S10 8	0	S104 and 711\163,152,154.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 17:09
S10 9	36	S104 and 713/189-194.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 18:25
S11 0	2	"20030110374"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 09:19

## EAST Search History

S11 1	2	"20040266533"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 09:22
----------	---	---------------	---	----	----	------------------